Electroencephalography and clinical Neurophysiology, 1989, 73: 585–588
Elsevier Scientific Publishers Ireland, Ltd.

Table of Contents

VOLUME 73, 1989

MAIN ARTICLES

On the structure of EEG development
A. Alvarez Amador, P.A. Valdés Sosa, R.D. Pascual Marqui, L. Galan Garcia, R. Biscay Lirio and J. Bosch Bayard (Cuba) 10
Source derivation recordings of generalized spike-wave complexes
E. Rodin and D. Cornellier (U.S.A.) 20
EEG spectra in severely dyslexic men: rest and word and design recognition
J.M. Rumsey, R. Coppola, M.B. Denckla, S.D. Hamburger and M.J.P. Kruesi (U.S.A.) 30
Brain potentials in a memory-scanning task. III. Potentials to the items being memorized
H. Pratt, H.J. Michalewski, J.V. Patterson and A. Starr (U.S.A.) 41
A large scale, high resolution, automated system for rat sleep staging. I. Methodology and technical aspects
G.S.F. Ruigt, J.N. Van Proosdij and A.M.L. Van Delft (The Netherlands) 52
A large scale, high resolution, automated system for rat sleep staging. II. Validation and application
G.S.F. Ruigt, J.N. Van Proosdij and L.A.C.M. Van Wezenbeek (The Netherlands) 64
Correction of ocular artifacts in EEGs using an autoregressive model to describe the EEG; a pilot study
M.M.C. Van den Berg-Lenssen, C.H.M. Brunia and J.A. Blom (The Netherlands) 72
Short- and long-term prognostic value of the electroencephalogram in children with severe head injury
A. Dusser, Y. Navelet, D. Devictor and P. Landrieu (France) 85
EEG discriminant analyses of mild head trauma
R.W. Thatcher, R.A. Walker, I. Gerson and F.H. Geisler (U.S.A.) 94
Effects of sleep interruption on REM-NREM cycle in nocturnal human sleep
A. Miyasita, K. Fukuda and M. Inugami (Japan) 107
The thalamus participates in the regulation of the sleep-waking cycle. A clinico-pathological study in fatal familial thalamic degeneration
P. Tinuper, P. Montagna, R. Medori, P. Cortelli, M. Zucconi, A. Baruzzi and E. Lugaresi (Italy) 117
Normal human subjects with slow reaction times and larger time estimations after waking have diminished delta sleep
J.L. Jurado, G. Luna-Villegas and G. Buela-Casal (Mexico) 124
Mismatch negativity to change in spatial location of an auditory stimulus
P. Paavilainen, M.-L. Karlsson, K. Reinikainen and R. Näätänen (Finland) 129
Changes in the myoelectric signal (MES) power spectra during dynamic contractions
S. Shankar, R.E. Gander and B.R. Brandell (Canada) 142
Increase in median power frequency of the myoelectric signal in pathological fatigue
J.P. Braakhekke, D.F. Stegeman and E.M.G. Joosten (The Netherlands) 151
EEG spectral characteristics following ethanol administration in young men
C.L. Ehlers, T.L. Wall and M.A. Schuckit (U.S.A.) 179
Pre-stimulus/post-stimulus relations in EEG spectra and their modulations by an opioid and an antidepressant
B. Bromm, W. Meier and E. Scharein (F.R.G.) 188
A new method to estimate time delays between EEG signals applied to beta activity of the olfactory cortical areas
P.H. Boeijinga and F.H. Lopes da Silva (The Netherlands) 198
Changes in spinal reflex excitability in brain-dead humans
P. Crenna, F. Conci and L. Boselli (Italy) 206
Motor unit firing rates and firing rate variability in the detection of neuromuscular disorders
L.J. Dorfman, J.E. Howard and K.C. McGill (U.S.A.) 215
Quantification of gaps in the EMG interference pattern in chronic hemiparesis
S.S. Fitts, M.C. Hammond, G.H. Kraft and P.B. Nutter (U.S.A.) 225

0013-4649/89/$03.50 © 1989 Elsevier Scientific Publishers Ireland, Ltd.

A dynamic EMG profile index to quantify muscular activation disorder in spastic paretic gait
J. Fung and H. Barbeau (Canada) 233
Quantitative analysis of single muscle fibre action potentials recorded at known distances
B.A. Albers, J.H.M. Put, W. Wallinga and P. Wirtz (The Netherlands) 245
Feline amygdaloid kindling and sleep
T. Hiyoshi, N. Mori and J.A. Wada (Canada) 254
EEG sleep patterns in man: a twin study
P. Linkowski, M. Kerkhofs, R. Hauspie, C. Susanne and J. Mendlewicz (Belgium) 279
Difference of steady-state visual evoked potentials in classic and common migraine
T. Nyrke, P. Kangasniemi and A.H. Lang (Finland) 285
Cortical responses to speech sounds and their formants in normal infants: maturational sequence and spatiotemporal analysis
G.P. Novak, D. Kurtzberg, J.A. Kreuzer and H.G. Vaughan, Jr. (U.S.A.) 295
Human laterality reversal auditory evoked potentials: stimulation by reversing the interaural delay of dichotically presented continuous click trains
P. Ungan, B. Şahinoğlu and R. Utkuçal (Turkey) 306
Human DC scalp potentials during vestibular and optokinetic stimulation: non-specific responses?
T. Mergner, R. Schrenk and C. Müller (F.R.G., Austria) 322
The R3 component of the blink reflex in man: a reflex response induced by activation of high threshold cutaneous afferents
B. Rossi, R. Risaliti and A. Rossi (Italy) 334
Electroretinograms to checkerboard pattern reversal in cats: physiological characteristics and effect of retrograde degeneration of ganglion cells
S. Tobimatsu, G.G. Celesia, S. Cone and M. Gujrati (U.S.A.) 341
Responses from dorsal column nuclei (DCN) in the monkey to stimulation of upper and lower limbs and spinal cord
A.R. Møller, T. Sekiya and C.N. Sen (U.S.A.) 353
A characterization of a single-trial adaptive filter and its implementation in the frequency domain
J.P. Arpaia, R. Isenhart and C.A. Sandman (U.S.A.) 362
The evaluation of patients with intractable complex partial seizures
R.P. Lesser, R.S. Fisher and P. Kaplan (U.S.A.) 381
Neuromagnetic field modeling of multiple brain regions producing interictal spikes in human epilepsy
D.S. Barth, C. Baumgartner and W.W. Sutherling (U.S.A., Austria) 389
Distribution of temporal spikes in relation to the sphenoidal electrode
C.D. Binnie, D. Marston, C.E. Polkey and D. Amin (U.K.) 403
Interburst interval measurements in the EEGs of premature infants with normal neurological outcome
J.S. Hahn, H. Monyer and B.R. Tharp (U.S.A.) 410
Electrophysiologic studies on locked-in patients: heterogeneity of findings
V.L. Towle, R. Maselli, L.P. Bernstein and J.-P. Spire (U.S.A.) 419
Dominant occipital (alpha) rhythm frequency in early stage Alzheimer's disease and depression
P.N. Prinz and M.V. Vitiello (U.S.A.) 427
Comparative impact of paraclinical studies in establishing the diagnosis of multiple sclerosis
R.L. Gilmore, E.J. Kasarskis, W.A. Carr and E. Norvell (U.S.A.) 433
Deficits of thermal sensation in patients with unilateral cerebral lesions
R.W. Adams and D. Burke (Australia) 443
Electrocorticographic (ECoG) correlates of language. I. Desynchronization in temporal language cortex during object naming
G.A. Ojemann, I. Fried and E. Lettich (U.S.A.) 453
A simple method for 3-dimensional localization of epileptic activity recorded by simultaneous EEG and MEG
C. Salustri and R.M. Chapman (U.S.A.) 473
Lateral coherence of the electrocorticogram: a new measure of brain synchrony
T.H. Bullock and M.C. McClune (U.S.A.) 479
Locating accuracy of a current source of neuromagnetic responses: simulation study for a single current dipole in a spherical conductor
S. Kuriki, M. Murase and F. Takeuchi (Japan) 499
Segments of event-related potential map series reveal landscape changes with visual attention and subjective contours
D. Brandeis and D. Lehmann (Switzerland) 507
An examination of VEP response phase
W. Seiple and K. Holopigian (U.S.A.) 520
Brain-stem auditory evoked potentials in squirrel monkey (*Saimiri sciureus*)
J.A. Pineda, T.C. Holmes, D. Swick and S.L. Foote (U.S.A.) 532
Evaluation of the estimation of muscle fiber conduction velocity. Surface versus needle method
M.J. Zwarts (The Netherlands) 544

SHORT COMMUNICATIONS

The validation of a new ambulatory spike and wave monitor
F.M.C. Besag, M. Mills, F. Wardale, C.M. Andrew and M.D. Craggs (U.K.) 157
Cumulative vibratory indices and the H/M ratio of the soleus H-reflex: a quantitative study in control and spastic subjects
B.W. Ongerboer de Visser, L.J. Bour, J.H.T.M. Koelman and J.D. Speelman (The Netherlands) 162
Effect of sleep deprivation on EEG slow wave activity within non-REM sleep episodes in the rat
L. Trachsel, I. Tobler and A.A. Borbély (Switzerland) 167
Propagation of afterdischarges along the septo-temporal axis of the rat hippocampus: a quantitative analysis
C. Nunes Filipe, J.P. Pijn, V.M. Fernandes de Lima and F.H. Lopes da Silva (The Netherlands) 172
Presaccadic spike potentials with large horizontal eye movements
H.R. Doig and C. Boylan (U.K.) 260
Presaccadic spike potential with congenital lateral rectus palsy
C. Boylan and H.R. Doig (U.K.) 264
Threshold tracking provides a rapid indication of ischaemic resistance in motor axons of diabetic subjects
P. Weigl, H. Bostock, P. Franz, P. Martius, W. Müller and P. Grafe (F.R.G., U.K.) 369
Short latency vestibular potentials evoked by electrical round window stimulation in the guinea pig
P. Bordure, G. Desmadryl, A. Uziel and A. Sans (France) 464
Changes in the presaccadic spike potential with age
H.R. Doig and C. Boylan (U.K.) 549
Sensorimotor and auditory central conduction time in locked-in syndrome
E. Facco, P. Caputo, D. Fiore and G.P. Giron (Italy) 552
Does selective attention influence the brain-stem auditory evoked potential?
S.D. Gregory, J.A. Heath and M.E. Rosenberg (U.K.) 557

CONTROVERSIES

Editorial comment
G.G. Celesia (U.S.A.) 1
The role of quantitative EEG topographic mapping or 'neurometrics' in the diagnosis of psychiatric and neurological disorders: the pros
E.R. John (U.S.A.) 2
The role of quantitative topographic mapping or 'neurometrics' in the diagnosis of psychiatric and neurological disorders: the cons
B.J. Fisch and T.A. Pedley (U.S.A.) 5
Brain death in children: editorial comment
G.G. Celesia (U.S.A.) 271
Usefulness of EEG in the evaluation of brain death in children: the pros
S.L. Moshé (U.S.A.) 272
Usefulness of EEG in the evaluation of brain death in children: the cons
S. Schneider (U.S.A.) 276
Editorial comment
G.G. Celesia (U.S.A.) 373
Intraoperative monitoring by evoked potentials for spinal cord surgery: the pros
J.R. Daube (U.S.A.) 374
Intraoperative monitoring by evoked potentials for spinal cord surgery: the cons
M.J. Aminoff (U.S.A.) 378

BOOK REVIEWS

Human brain electrophysiology. Evoked potentials and evoked magnetic fields in science and medicine
by D. Regan 84
Anatomy of epileptogenesis
edited by B.S. Meldrum, J.A. Ferrendelli and H.G. Wieser 268
Elements of petit mal epilepsy
edited by M.S. Myslobodsky and A.F. Mirsky 268

Stimulus–secretion coupling in neuroendocrine systems. Current topics in neuroendocrinology, Vol. 9
edited by D. Ganten and D. Pfaff 269
Ambulatory EEG monitoring
edited by J.S. Ebersole 470
Clinical electroencephalography and topographic brain mapping. Technology and practice
by F.H. Duffy, V.G. Iyer and W.W. Surwillo 471
Traumatic brain injury
edited by P. Bach-y-Rita 561
Clinical use of anticonvulsants in psychiatric disorders
by R.M. Post, M.R. Trimble and C.E. Pippenger 561
Antiepileptic drug interactions
edited by W.H. Pitlick 562

Tables I and II of Bullock and McClune (EEG 03820) 563

Announcement iii

Society Proceedings 1P, 29P, 37P, 41P, 48P, 53P, 56P, 59P, 64P, 66P, 70P, 82P, 85P, 94P, 97P

Acknowledgements 565

Index of Authors to Volume 73, 1989 567

Index of Subjects to Volume 73, 1989 579

Table of Contents to Volume 73, 1989 585